PERFORMANCE

Comfort Pac IG System with low-e glass, argon, and warm edge spacer.

1100 Series STUCCO and WIDE Frames

SERIES/DESCRIPTION	AAMA RATING	U-VALUE	SHGC	VT
1114 AWNING	C-30	.31	.27	.44
1115 CASEMENT	C-30	.31	.27	.44
1117 HORIZONTAL SLIDER	LC-20	.30	.32	.53
1118 VERTICAL SLIDER	R-20	.30	.32	.53
1119 PICTURE WINDOW	HC-40	.27	.34	.58


9000 Series NARROW Frames


SERIES/DESCRIPTION	AAMA RATING	U-VALUE	SHGC	VT
9700 HORIZONTAL SLIDER	R-20	.30	.33	.56
9800 SINGLE HUNG	R-20	.30	.33	.56
9900 PICTURE WINDOW	LC-25	.28	.34	.60


LIFETIME WARRANTY

Lindsay Windows means comfort for life. We guarantee that our windows will operate smoothly, look great and keep your home comfortable for generations to come.


ARCHITECTURAL SERIES WINDOW **SYSTEM OPTIONS:**

































OUR MISSION, STANDARDS AND VALUES

We recognize that our most important asset is our reputation. Confidence and trust in our relationships with customers, staff, and suppliers are critical to our success.

We strive to maintain the highest level of personal and professional integrity.

The future of our company depends on our customers, our employees, and our commitment to be persistent in our pursuit of technological advancements, consistent quality, and the highest level of customer service.



since 1947

11101 S. Tacoma Way, Suite B, Lakewood, WA 98499 (253) 284-4897

www.lindsaywindows.com







AAMA and NFRC Certified ENERGY STAR RATED



UNRIVALED QUALITY UNMATCHED SELECTION LIFETIME WARRANTY

Our Architectural Series provides the versatility to meet whatever your home requires — all with the style and performance to enhance the beauty and energy efficiency of your home.



1100 Series STUCCO 1100 Series WIDE 9000 Series NARROW



PRODUCT HIGHLIGHTS:

- Multi-chambered frames for rigidity and thermal efficiency. Fusion-welded corners for superior strength and frame alignment.
- Metal reinforced meeting rail and sash for added strength. Cam locks and receivers attach firmly into the metal reinforcement for added security. The sash and meeting rail are designed to "interlock" for maximum weatherproofing.
- Frames have matching and distinctive Architectural exterior design features for precise beauty and functional details.
- The Architectural series provides a window system for all applications. The Architectural 3 ¼" frames are available in block, nail fin and stucco fin. The 2 ¾" frame is available in block and nail fin.
- Comfort Pac IG System with low-e glass, argon, warm edge spacer, and a minimum of double-strength glass, virtually eliminating seal failure while providing peak performance and comfort.
- Dual pull rails for convenience and ease of operation.
- All windows feature offset drainage systems with exterior weep-hole covers.
- Single Hung windows are standard with "tilt-in" feature for easy cleaning. Stainless steel constant force balance systems provide a lifetime of smooth operation.
- Horizontal sliders with "equal sight lines" for a balanced look. Tandem stainless steel rollers provide a smooth glide on an easy-to-clean raised roller track.
- Architectural "STUCCO" frame incorporates the patent-pending "Stucco Gutter" for added protection from water penetration.
- Full array of specialty glass and decorative grid options available.



